

according to Regulation (EC) No 1907/2006

## **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**REKTOL Boxer 15W-40** 

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Lubricants, greases, release products

# 1.3. Details of the supplier of the safety data sheet

Company name: REKTOL GmbH&Co.KG

Street: Am Kniep 2 Place: D-34497 Korbach

Telephone: 0049 5631 9530 0 Telefax: 0049 5631 9530 25

E-mail: info@rektol.de
Contact person: Jochen Pohlmann
E-mail: info@rektol.de
Internet: www.rektol.de

**1.4. Emergency telephone** 0049 5631 9530 0 (Only available during office hours.)

number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

# Regulation (EC) No 1272/2008

## Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

# 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Relevant ingredients

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic					
	265-157-1	649-467-00-8	01-2119484627-25			
	Asp. Tox. 1; H304					
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)					
	218-679-9					
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411					

Full text of H and EUH statements: see section 16.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 2 of 9

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
64742-54-7	265-157-1	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic			
	dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg				
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)		1 - < 5 %		
	inhalation: LC50 = >2 mg/l (dusts or mists); dermal: LD50 = >25000 mg/kg; oral: LD50 = 2230 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 10 - < 10				

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Foam

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

# **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

# For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.



according to Regulation (EC) No 1907/2006

## **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 3 of 9

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Lubricants, greases, release products

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **DNEL/DMEL values**

CAS No	Name of agent					
DNEL type		Exposure route	Effect	Value		
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)					
Worker , long-term		inhalation	systemic	8,6 mg/m³		
Worker , long-term		dermal	systemic	12,2 mg/kg bw/day		
Consumer , long-term		inhalation	systemic	2,13 mg/m³		
Consumer , long-term		dermal	systemic	6,1 mg/kg bw/day		
Consumer , long-term		oral	systemic	0,24 mg/kg bw/day		



according to Regulation (EC) No 1907/2006

# **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 4 of 9

#### **PNEC values**

CAS No	Name of agent					
Environment	Environmental compartment					
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)					
Freshwater		0.004 mg/l				
Marine water	Marine water 0.004					
Marine water	0.045 mg/l					
Freshwater sediment		0.074 mg/kg				
Marine sedin	nent	0.007 mg/kg				
Secondary p	oisoning	10.67 mg/kg				
Micro-organisms in sewage treatment plants (STP)		100 mg/l				
Soil	Soil					

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.

# Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: amber
Odour: characteristic

Test method

Print date: 21.10.2024

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined

Flash point: >220 °C DIN ISO 2592

Auto-ignition temperature: not determined
Decomposition temperature: not determined
pH-Value: not determined

Viscosity / kinematic: 105 mm²/s DIN 51562

(at 40 °C)



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 5 of 9

Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 15 °C): 0,870 g/cm³ DIN 51757

Relative vapour density: not determined Particle characteristics: not applicable

#### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. not explosive according to EU A.14

Oxidizing properties

The product is not: oxidising.

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined

Pour point: <-15 °C ISO 3016

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 6 of 9

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic						
	oral	LD50 mg/kg	>5000	Rat			
	dermal	LD50 mg/kg	>5000	Rat			
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)						
	oral	LD50 mg/kg	2230	Rat	Manufacturer		
	dermal	LD50 mg/kg	>25000	Rat	Manufacturer		
	inhalation (1 h) dust/mist	LC50	>2 mg/l	Rat	Manufacturer		

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

# **Endocrine disrupting properties**

No information available.

#### Other information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic						
	Acute fish toxicity	LC50 mg/l	>1000	96 h			
	Acute algae toxicity	ErC50 mg/l	>1000	72 h			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h			
2215-35-2	zinc O,O,O',O'-tetrakis(1,3	-dimethylbu	tyl) bis(phos	phoroditl	hioate)		
	Acute fish toxicity	LL50	4,5 mg/l		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	
	Acute algae toxicity	ErC50	21 mg/l		Desmodesmus subspicatus Desmodesmus subspicatus	Manufacturer	
	Acute crustacea toxicity	EL50	23 mg/l		Daphnia magna (Big water flea)	Manufacturer	

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate	e)					
	OECD 301B	1,5	28				
	Not readily biodegradable (according to OECD criteria)	•					

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	2,21

## 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The product has not been tested.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 8 of 9

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - contaminated packaging

150202 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances; hazardous

waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

**National regulatory information** 

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9.



according to Regulation (EC) No 1907/2006

# **REKTOL Boxer 15W-40**

Revision date: 17.10.2024 Product code: 2051540 Page 9 of 9

#### Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Dam: Eye damage

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu EC/EEC: European Community/European Economic Community

EU: European Union M-factor: Multiplying factor

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.
H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects. EUH210 Safety data sheet available on request.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)