

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REKTOL Grease Spray**

Revision date: 31.10.2024

Product code: 282420054

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

REKTOL Grease Spray

UFI: PE3H-RDXD-N5RD-K0U6

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Lubricants, greases, release agents

**1.3. Details of the supplier of the safety data sheet**

Company name:	REKTOL GmbH&Co.KG	
Street:	Am Kniep 2	
Place:	D-34497 Korbach	
Telephone:	0049 5631 9530 0	Telefax: 0049 5631 9530 25
E-mail:	info@rektol.de	
Contact person:	Jochen Pohlmann	
E-mail:	info@rektol.de	
Internet:	www.rektol.de	

**1.4. Emergency telephone number:** 0049 5631 9530 0 (Only available during office hours.)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aerosol 1; H222-H229  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P273	Avoid release to the environment.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

**2.3. Other hazards**

No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REKTOL Grease Spray**

Revision date: 31.10.2024

Product code: 282420054

Page 2 of 10

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-49-0	Hydrocarbons, C6, isoalkanes, <5% n-hexane			1 - < 5 %
	931-254-9		01-2119484651-34	
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411			
	fatty acid soap			1 - < 5 %
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64742-49-0	931-254-9	Hydrocarbons, C6, isoalkanes, <5% n-hexane	1 - < 5 %
	inhalation: LC50 = 20 mg/l (vapours); dermal: LD50 = >3000 mg/kg; oral: LD50 = >5000 mg/kg		

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air.

**After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.

**After ingestion**

Rinse mouth immediately and drink 1 glass of water.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.**Unsuitable extinguishing media**

Water.

**5.2. Special hazards arising from the substance or mixture**

Extremely flammable aerosol. Pressurized container: May burst if heated. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### REKTOL Grease Spray

Revision date: 31.10.2024

Product code: 282420054

Page 3 of 10

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

##### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

No special measures are necessary.

##### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

##### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### 7.3. Specific end use(s)

Lubricants, greases, release agents

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REKTOL Grease Spray**

Revision date: 31.10.2024

Product code: 282420054

Page 4 of 10

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear eye protection/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Thermal hazards**

Flame-retardant protective clothing. Wear anti-static footwear and clothing . .

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Aerosol	
Colour:	light yellow	
Odour:	Solvent	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined
Lower explosion limits:		1,5 vol. %
Upper explosion limits:		10,9 vol. %
Flash point:		-60 °C
Auto-ignition temperature:		200 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents		
insoluble in: Water		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		4200 hPa
(at 20 °C)		
Density (at 20 °C):		0,65 g/cm <sup>3</sup>
Relative vapour density:		not determined
Particle characteristics:		not applicable

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

Heating may cause an explosion.

**Oxidizing properties**

The product is not: oxidising.

**Other safety characteristics**

Solvent content: VOC (EU) 68,00%

**SECTION 10: Stability and reactivity**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REKTOL Grease Spray**

Revision date: 31.10.2024

Product code: 282420054

Page 5 of 10

**10.1. Reactivity**

Extremely flammable aerosol. Pressurized container: May burst if heated.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) 655,7 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-49-0	Hydrocarbons, C6, isoalkanes, <5% n-hexane				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >3000 mg/kg	Rat		
	inhalation (4 h) vapour	LC50 20 mg/l	Rat		

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information****12.1. Toxicity**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REKTOL Grease Spray**

Revision date: 31.10.2024

Product code: 282420054

Page 6 of 10

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-49-0	Hydrocarbons, C6, isoalkanes, <5% n-hexane					
	Acute crustacea toxicity	EC50 mg/l	3,87	48 h		

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.2



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## REKTOL Grease Spray

Revision date: 31.10.2024

Product code: 282420054

Page 7 of 10



Classification code: 5A  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0  
Transport category: 3  
Tunnel restriction code: E

## Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950  
14.2. UN proper shipping name: AEROSOLS  
14.3. Transport hazard class(es): 2  
14.4. Packing group: -  
Hazard label: 2.1



Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0

## Marine transport (IMDG)

14.1. UN number or ID number: UN 1950  
14.2. UN proper shipping name: AEROSOLS  
14.3. Transport hazard class(es): 2.1  
14.4. Packing group: -  
Hazard label: 2.1



Special Provisions: 63 190 277 327 344 381 959  
Limited quantity: 1000 mL  
Excepted quantity: E0  
EmS: F-D, S-U

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950  
14.2. UN proper shipping name: AEROSOLS, FLAMMABLE  
14.3. Transport hazard class(es): 2.1  
14.4. Packing group: -  
Hazard label: 2.1



Special Provisions: A145 A167 A802  
Limited quantity Passenger: 30 kg G  
Passenger LQ: Y203  
Excepted quantity: E0  
IATA-packing instructions - Passenger: 203  
IATA-max. quantity - Passenger: 75 kg  
IATA-packing instructions - Cargo: 203

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REKTOL Grease Spray**

Revision date: 31.10.2024

Product code: 282420054

Page 8 of 10

IATA-max. quantity - Cargo:

150 kg

**14.6. Special precautions for user**

No information available.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 29, Entry 40

Directive 2010/75/EU on industrial emissions:	93,96 % (610,74 g/l)
---	----------------------

Directive 2004/42/EC on VOC in paints and varnishes:	93,96 % (610,74 g/l)
--	----------------------

Information according to Directive 2012/18/EU (SEVESO III):	P3a FLAMMABLE AEROSOLS
---	------------------------

**National regulatory information**

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
--------------------------	--

Water hazard class (D):	1 - slightly hazardous to water
-------------------------	---------------------------------

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REKTOL Grease Spray**

Revision date: 31.10.2024

Product code: 282420054

Page 9 of 10

**Abbreviations and acronyms**

Aerosol: Aerosol  
Flam. Liq: Flammable liquid  
Asp. Tox: Aspiration hazard  
Skin Irrit: Skin irritation  
Eye Irrit: Eye irritation  
STOT SE: Specific target organ toxicity - single exposure  
Aquatic Chronic: Chronic aquatic hazard  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
IMDG: International Maritime Code for Dangerous Goods  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern  
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).  
EC/EEC: European Community/European Economic Community  
EU: European Union  
M-factor: Multiplying factor  
IATA: International Air Transport Association  
DGR: Dangerous Goods Regulations  
ICAO: International Civil Aviation Organization  
TI: Technical Instructions  
VOC: volatile organic compound

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**REKTOL Grease Spray**

Revision date: 31.10.2024

Product code: 282420054

Page 10 of 10

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Aerosol 1; H222-H229	
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*